

**User Manual** 

v1.5.0

# **Table of Contents**

| 0. An Introduction                           | 5    |
|--|------|
| 0.1 Colnspector                              | 5    |
| 0.2 Compatibility and Limitations            | 5    |
| 0.3 Workflow Shortcuts                       | 6    |
| 0.3.1 Tabs/GameObjects                       | 6    |
| 0.3.2 Assets                                 | 7    |
| 0.3.3 General Stuff                          | 7    |
| 0.4 Keyboard Shortcuts                       | 8    |
| 1. Split Inspection                          | 9    |
| 2. The GameObject View                       | . 10 |
| 2.1 New Buttons and Tools                    |      |
| 2.1.1 The Select Button                      |      |
| 2.1.2 The Focus Button                       |      |
| 2.1.3 The Inspector Button                   |      |
| 2.1.4 Local Hierarchy View                   |      |
| 2.1.5 Improved Multi-selection View          |      |
| 2.1.6 Improved Component Control             |      |
| 2.1.6.1 The Component Collapse/Expand Button | 16   |
| 2.1.6.2 New Component Context Menu Options   | . 17 |
| 2.1.7 Component Filter Bar                   | . 18 |
| 2.1.8 Play Mode Save for Transforms          | . 19 |
| 2.1.8.1 Saving Specific Transform values     | 19   |
| 2.1.8.2 Auto Saving on Exit Play Mode        | . 19 |
| 2.1.8.2 Testing Changes in Edit Mode         | 20   |
| 2.1.9 Override Scene Tools                   | . 20 |
| 2.2 Tabs                                     | . 22 |
| 2.2.1 Types of Tabs                          | . 22 |
| 2.2.1.1 Regular Tabs                         | 22   |
| 2.2.1.2 Multi-target Tabs                    | . 23 |
| 2.2.2 Creating Tabs                          | . 24 |
| 2.2.2.1 New Tabs                             | 24   |
| 2.2.2.2 Filled Tabs                          | 25   |
| 2.2.3 Basic Controls                         | 26   |
| 2.2.3.1 Scrolling the Tab Bar                | . 26 |
| 2.2.4 Lock State and Debug Mode              |      |
| 2.2.4.1 Individual Modes                     | 27   |
| 2.2.4.2 Full Debug Mode                      | 28   |
| 2.2.5 Behaviors on Tab Click                 | . 29 |

| 2.2.5.1 Auto-selection (Disabled by default)               | 29 |
|--|----|
| Auto-selection Off   | 29 |
| Auto-selection On  | 29 |
| 2.2.5.2 Auto-frame on Scene View (Disabled by default)     | 30 |
| 2.2.6 Behavior on Tab Double-click                         | 31 |
| 2.2.7 Behavior on Tab Hover                                | 31 |
| 2.2.7.1 Hovering multi-target Tabs                         | 32 |
| 2.2.8 Tab Bar Customization                                | 33 |
| 2.2.9 Tabs and Prefab Mode                                 | 34 |
| 2.3 History Tracking                                       | 35 |
| 2.3.1 Basic Controls                                       | 35 |
| 2.3.2 Considerations and Limitations                       | 36 |
| 2.3.3 Restoring Closed Tabs                                | 36 |
| 2.4 Advanced Dragging                                      | 37 |
| 2.4.1 Dragging Tabs onto Fields                            | 37 |
| 2.4.2 Dragging Components, GameObjects or Assets onto Tabs |    |
| 2.4.3 Dragging and Cloning Components                      | 39 |
| 2.4.3.1 Cloning Components                                 |    |
| 2.4.3.2 Moving Components between GameObjects              | 39 |
| 2.4.3.3 Cloning Components between GameObjects             | 40 |
| 2.4.3.4 Some considerations!                               | 40 |
| 2.4.4 Dragging Assets from the Asset Bar                   | 41 |
| 2.4.5 Dragging Assets as Components                        | 41 |
| 2.5 The Tab Context Menu                                   | 42 |
| 2.5.1 Tab Options  | 42 |
| Extra Options for Prefab Instances                         | 43 |
| 2.5.2 Inspector Settings                                   | 44 |
| 3. The Asset View  | 46 |
| 3.1 Asset Inspection                                       | 46 |
| 3.2 Inspection Detail on the Asset View                    | 47 |
| 3.2.1 Compact Mode and Import Settings                     |    |
| 3.2.2 Expanding and Collapsing the Asset View              | 48 |
| 3.2.2 Asset-Only Mode                                      |    |
| 3.3 The Add Component Bar                                  | 50 |
| 3.3.1 Resizing The Asset View                              |    |
| 3.3.2 The Asset History Button                             |    |
| 3.3.2 The Update Indicator                                 |    |
| 3.4 The Asset Bar  |    |
| 3.4.1 Basic Features                                       |    |
| 3.4.2 Dedicated Buttons                                    |    |
|  |    |

| 3.4.2.1 Default Buttons                             | 54 |
|---|----|
| 3.4.2.2 Context-specific Buttons:                   | 54 |
| 3.5 The Bottom Bar                                  | 55 |
| 3.6 Prefab Assets and Asset View                    | 56 |
| 3.7 Customization and Inspection Settings           | 57 |
| 3.8 The Asset View Context Menu                     | 58 |
| 4. Sessions   | 59 |
| 4.1 How Sessions Work                               | 59 |
| 4.2 Sessions Behavior                               | 60 |
| 4.3 Limitation with Inactive GameObjects            | 61 |
| 5. The Settings Window                              | 62 |
| 5.1 General Settings                                | 62 |
| 5.2 Tab Settings                                    | 63 |
| 5.2.1 Tab behaviors                                 | 63 |
| 5.2.2 Tab Bar scroll                                | 65 |
| 5.2.3 Tab design                                    | 65 |
| 5.2.4 Header design                                 | 66 |
| 5.3 Asset Settings                                  | 67 |
| 5.4 Reset to Default                                | 67 |
| 6. Plans and Future Features                        | 68 |
| 6.1 Some stuff we want to add soonish:              | 68 |
| 6.2 Some stuff who knows when we'll be able to add: | 68 |

# 0. An Introduction

# 0.1 CoInspector

Colnspector is designed to behave and feel like the regular Inspector, so using it should be as intuitive and easy as possible. Thus, <u>most if not all of your custom inspectors</u>, <u>extensions and</u> <u>editor plugins should be compatible out-of-the-box</u>.

CoInspector adds additional features and shortcuts over the regular Inspector, so this Manual will introduce and explain all your cool new tools.

# **0.2 Compatibility and Limitations**

Colnspector is **designed to be compatible with all IMGUI and UI Toolkit editors and customizations**, but, it's impossible to guarantee compatibility with plugins that rely on approaches like **injection** to customize the Inspector Window or specific Editors.

These plugins work by finding the Inspector Window, breaking it apart, and inserting extra stuff between its elements (as bars or buttons). While this is not "incompatible" with CoInspector, **this can cause undesired behaviors**, including:

- **Performance overhead:** These plugins usually gather and modify the Inspector Window every frame. This is already taxing, but they will often keep looking for it in the background when it's closed, adding unnecessary overhead.
- **Breaking Colnspector's design:** By injecting extra elements in places we just cannot foresee. This can range from funny visual stuff to making Editors unusable.
- **Errors:** Usually, when a plugin doesn't properly null-check or assumes it'll find a regular Inspector Window.

For the best experience, **we strongly recommend disabling injection-based customizations** of the Inspector to avoid potential issues.

If there is a specific feature you miss, let us know at hey@stuff-solutions.com, and we will consider incorporating it directly into Colnspector.

# **0.3 Workflow Shortcuts**

This section provides a list of most **shortcuts** and **features** that Colnspector introduces (because we get that reading the whole thing may not be your best plan).

If you want to learn more about any of these tips, refer to the linked sections of the manual!

# 0.3.1 Tabs/GameObjects

- Middle-click GameObjects in the Hierarchy to open them as a New Tab.
- You can filter the visible Components of any Tab.
- You can **Override Scene Tools** to target Tabs instead of the active Selection.
- You can drag and drop your Tabs as GameObjects into Inspector fields.
- Hold **Ctrl/Cmd** when reordering Components to <u>clone</u> them.
- You can Drag Components between different Tabs/GameObjects.
  - <u>Clone them</u> by holding Ctrl/Cmd while dragging.
- Set **Behaviors when you** <u>Click a Tab</u> to **automatically select** its target and/or **focus** them on the Scene View.
- Set a **Behavior when you** <u>Double-click a Tab</u> for actions like **locking it**, **selecting its targets**, or **focusing** it.
- Set a **Behavior when you <u>Hover a Tab</u>** to see information about your targets.
- Components have <u>additional Context Menu options</u> like **Move to Top**, **Collapse All**, or **Expand All But This**.
- You can **<u>Right Click individual elements of a multi-selection</u> to open them in New Tabs or remove them from the selection.**
- Use the Local Hierarchy View to instantly check and access a target's parents, children, and siblings.
- Right-click the **Back** or **Forward History** buttons to see all steps and jump to them.
- Middle-click the **Back** or **Forward History** buttons to <u>open the previous or next step</u> in a new Tab.
- Middle-click the **Debug Button** of any Tab to enter **Full Debug Mode** (which will affect every Tab).
- Right-click a Tab (or the Tab Bar) and choose <u>Restore Closed Tab</u> to recover up to 10 recently closed Tabs.
- You can **Customize your Tab Bar** to hide **icons**, **buttons**, or the **scrollbar**.

## 0.3.2 Assets

- By default, **Colnspector ignores Folders** so they don't take over your selection when navigating the Project Window. You can disable this in the <u>Settings Window</u>.
- Click the Asset Bar once to Expand or Collapse the Asset View.
- Drag the Asset Bar itself to quickly drag and drop the inspected Asset(s) into fields or Components.
- You can directly drag certain Assets (*like AudioClips, Animators, or Sprites*) between Components to <u>add them as new components</u>.
- Drag the Add Component Bar to resize your Asset View and the Asset Preview size.
- Right-click the <u>Asset History Button</u> to switch between your last two inspected Assets or **recover the last closed one**.
- Click the Asset path in the <u>Bottom Bar</u> to ping the Asset, or **right-click** it to **copy its path to your clipboard**.
- Use the **Folder Button** and **Edit Button** in the **Bottom Bar** to reveal Assets in your file explorer, or open them with the default external application.
- You can hide or show the <u>AssetBundle</u> and Asset Tag footer.

## 0.3.3 General Stuff

- Use the **Inspector Buttons** in the <u>Asset View</u> and the <u>GameObject View</u> to send your targets to the regular Inspector.
  - Hold **Alt/Shift** to pop them up in an exclusive window.
- Even with Sessions disabled, you can recover your last active workspace by choosing <u>Recover Last Saved Session</u> in the **Tab Context Menu**.
- Colnspector saves your last workspaces in each Scene you work on. You can change how to recover them (*always, ask, or never*) in <u>Sessions Behavior</u>.
- Access a compact version of the <u>Settings Window</u> by right-clicking a Tab, opening the <u>Tab Context Menu</u> and choosing Inspector Settings.

<u>These shortcuts and tips should help you grasp the essential **features** and **workflows** of <u>Colnspector, making their experience with the tool more efficient.</u></u>

# **0.4 Keyboard Shortcuts**

Colnspector also provides customizable keyboard shortcuts (Menu -> Edit / Shortcuts):

- Tab History Navigation
  - Move back in Tab History: Alt + Left Arrow
  - Move next in Tab History: Alt + Right Arrow
- Component Management
  - Filter Components: Alt + F
  - Enable/Disable current Component Filter: Alt + G
  - Collapse all components: Alt + W
  - Expand all components: Alt + E
  - Toggle between Collapse/Expand all: Alt + R
- GameObject Control
  - Toggle enable/disable the GameObject/s of a Tab: Alt + D
- Asset View
  - Expand/Collapse the Asset View: Alt + V
     (It will also recover the last inspected Asset if none is inspected)

#### If you want to suggest new shortcuts, please let us know at hey@stuff-solutions.com.

# 1. Split Inspection

Colnspector's main feature, and the reason it came to be, is the **Split Inspection**, or **the ability to inspect GameObjects and Assets at the same time** in different sections of the window.

| History Tracking       | Tabs                       |                                |          |             |
|------------------------|----------------------------|--------------------------------|----------|-------------|
|                        | · · · ·                    |                                |          |             |
| 📕 🕨 💻 Main             | Camera 🗉 Canvas            | EventSyste                     | m +      | 7           |
| 💮_ 🗹 Ма                | ain Camera                 |                                | Static 🔻 |             |
|                        | ainCamera 🗖                | <ul> <li>Layer Defa</li> </ul> | ult 👻    |             |
|                        | G                          |                                | 🖺 🔶 🛈 🖻  | GameObject  |
| 🔻 🙏 🛛 Tran             | nsform                     |                                | 07‡:     | Inspection  |
| Position               | X O                        | Y 0                            | z 0      |             |
| Rotation               | X 0                        | Y 0                            | Z O      |             |
| Scale                  | ∞ X 1                      | Y 1                            | Z 1      |             |
|                        | Add Compo                  | onent 🖸                        | » ———    | -           |
| 🎵 MenuThe              | me.ogg (Audio Clip         | p)                             | ‡0 a ×   | 7           |
| idea de Milliona da Mi | and the second state       | and a state of the later       |          | Split Asset |
| hall ale tak           | MenuT<br>Vorbis, 44100 Hz, |                                | 33       | Inspection  |
| 🖿 🗾 Assets             | /Sounds/Music/MenuT        | 'heme.ogg                      | ► ७ ₽    |             |

Unlike other "custom inspector" solutions that either modify the original Inspector or clone its contents, CoInspector is <u>100% independent of the Inspector Window</u>. This allows CoInspector to sort and inspect targets independently of your active selection.

This way, Colnspector **splits itself into 2 sections**: The <u>GameObject View</u> and the <u>Asset</u> <u>View</u>. Each independent of the other, yet designed to work together. Assets will never override your GameObjects and GameObjects will never override your Assets.

Combined with its <u>Tabs</u> and <u>History Tracking</u>, Colnspector introduces a new set of options that **allow you to work on multiple GameObjects and Assets at the same time**, removing any need to juggle between multiple Inspector windows and lock states.

One window, unlimited targets.

# 2. The GameObject View

The GameObject section remains visually close to the regular Inspector, but introduces a great number of **improvements** and **tools**.


These new features include a <u>Tabs</u> system, <u>History Tracking</u>, <u>Advanced Dragging</u>, and some new **Buttons** and **Tools** covered in this section.

# 2.1 New Buttons and Tools

These are features that can be accessed through buttons or are integrated within Colnspector itself. Some buttons may mention <u>Tabs</u>, but they will be fully explained in their own section.


# 2.1.1 The Select Button

This button instantly selects the target of the active Tab in the Hierarchy. With <u>multi-target</u> <u>Tabs</u>, every target will be selected at once.



To know if the active Tab is already selected, use the following visual cues:

- 1. A blue line will appear above the Tab.
- 2. The Select button will show as disabled.




Modes:

- **Regular click**: It will select in the Hierarchy the target or targets of the active Tab.
- **Right click**: To select the targets and **also focus them on Scene View**. If you just want to focus the target, use the **Focus Button**.

(With both '<u>Auto-selection</u>' and '<u>Auto-focus</u>' enabled, you will rarely interact with this button.)

# 2.1.2 The Focus Button

This button is meant to help you center your workspace around your active Tab and targets without needing to double-click the Hierarchy or change your active Selection.




#### Modes:

• **Regular click:** To **focus the target of your Tab on Scene View**. In other words, it centers your view as if you had double-clicked the GameObject in the Hierarchy.

With <u>multi-target Tabs</u>, the view will be centered on a point between all targets.

- **Right click:** To **ping the target in the Hierarchy**. For multi-target tabs, only the first element will be pinged.
- Middle click: To auto-scroll the Tab Bar to your active Tab. Useful when you have many Tabs open at the same time.




(Example of a Tab after being scrolled back into view)

# 2.1.3 The Inspector Button


This button is exclusively dedicated to sending the active target(s) of your Tab to the regular Inspector Window.

#### Modes:

• **Regular click:** It will send the target(s) of the Tab to the regular Inspector Window. If an Inspector Window is already available, it will use it. If not, it will create a new one.



• Alt/Shift + click: It will pop up the target(s) of the Tab in an exclusive, locked Inspector Window.



#### Why is this here?


- 1. Currently, Colnspector **doesn't support multiple windows**, and some users may prefer combining <u>Tabs</u> with multiple locked Inspectors for certain tasks.
- 2. Colnspector draws every component as the regular Inspector, but **it's impossible to assume perfect compatibility**. If something fails with a Component or a plugin, this button will help you keep working.
- 3. Certain Editor Tools could not trigger outside the Inspector Window. <u>This is not</u> <u>Colnspector's fault</u>, but a Unity limitation present in Property Windows.

We've implemented workarounds to manually trigger these tools and have tested extensively to find all possible cases, but some may have escaped our best efforts.


If a component, extension or custom editor fails to show or presents any bug or error, please let us know at hey@stuff-solutions.com.

# 2.1.4 Local Hierarchy View

This button gives you access to another new feature: the **Local Hierarchy View**. This allows you to **instantly check your target's position in the Hierarchy** without pinging it.



When clicked, Colnspector will pop up the target in a custom, independent Hierarchy Window, where you can easily check and access its parents, children or siblings.



Things you can do here:

- Instantly check and access the target's parents, children and siblings.
- Set a new target for the Tab: Click any GameObject or choose the option in the Context Menu.
- **Open a GameObject in a new Tab:** Middle-click any GameObject or choose the option in the Context Menu.
- Select/Ping/Focus a GameObject: Right-click it to open the Context Menu and choose the desired option.

This button is disabled with <u>multi-target Tabs</u>, but thanks to the new <u>Multi-selection View</u>, you can right-click any individual GameObject of your selection to open its **Local Hierarchy** View.

| I I            | M 🔅 🛛                      | )irectional Lig            | ght 🚽         | - (9) Obje | ects                 |                |          |                 | +  |
|----------------|----------------------------|----------------------------|---------------|------------|----------------------|----------------|----------|-----------------|----|
| 1              | · ~                        |                            |               |            |                      | _              | (9)      | Static          | •  |
|                | Tag                        | Untagged                   |               | •          | Lay                  | er Defa        | ault     |                 | •  |
| ▼              |                            |                            |               |            |                      |                |          | ♦ 0             | †⊒ |
|                |                            | : Car + Car4<br>g + Spine1 | + Cat         | + Mesh +   |                      |                | <u> </u> | ftUpLeg         | +  |
|                |                            |                            |               |            |                      |                |          |                 |    |
| ▼ ,            | <mark>.</mark> 1           | Fransform                  |               |            |                      | n in new<br>   | / Tab    |                 |    |
|                | sition                     |                            | x             | _          | Ope<br>Sele          |                | / Tab    |                 |    |
| P              |                            |                            | x<br>x        |            |                      | ct             | / Tab    |                 |    |
| P(<br>R(       | osition                    |                            | X<br>X<br>Q X | _          | Sele<br>Ping         | ct             |          | ew              |    |
| Pi<br>Ri<br>Si | osition<br>otatior<br>cale |                            | x ø           | -          | Sele<br>Ping<br>Focu | ct<br>us on Sc | ene Vie  | ew<br>archy Vie |    |

## 2.1.5 Improved Multi-selection View

When adding CoInspector's multi-target support, we quickly found a limitation in our design:

"Wait, so how does the user know which GameObjects they're targeting ...?"

- An underpaid Unity dev

...And then, we remembered this already happens in the regular Inspector, so we decided to add a little tweak:

A foldable section that lists the content of every multi-selection.

| I      | M   | C              | irea   | tiona                   | I Ligh | t 🕂           | (9) Ob | jects             |       |                            |           | +             |  |
|--------|-----|----------------|--------|-------------------------|--------|---------------|--------|-------------------|-------|----------------------------|-----------|---------------|--|
| 4      | Ļ   | ✓ Tag          | —<br>U | ntagę                   | jed    |               | Ţ      | Lay               | /er   | (S<br>Default              |           | atic 🔻        |  |
|        |     | UpLe           | g +    | ar + C<br>Spin<br>Isfor | e1     | Cat           | + Mesh |                   |       | l<br>n + Hips⊸<br>n new Ta |           | 0 '≡<br>Leg + |  |
| a<br>9 | Pos | ition<br>ation |        | 15101                   |        | X<br>X<br>R X |        | Sel<br>Pin<br>Foo | 9     | on Scene                   | View      |               |  |
|        |     |                | ts t   | hat a                   |        |               | some o | Sho               | ow Ir | n Local H<br>e from se     | lierarchy | View          |  |

This way, you can be sure of the GameObjects you're working on.

#### Some extra things you can do here:

- Inspect individual elements: Just click it on the list
- Open elements in a new Tab: Just middle-click it.
- **Remove elements from the selection**: Just right-click and choose the option
- **Ping and Focus elements**: Just right-click and choose the option.
- Open elements in Local Hierarchy View: Just right-click and choose the option


Combined with <u>Tabs</u> and <u>History Tracking</u>, this should make your experience of dealing with multi-selections way more streamlined and intuitive.

# 2.1.6 Improved Component Control

Colnspector introduces new ways to quickly expand/collapse your Components and reorder them: These are the **Component Collapse/Expand Button** and some **New Component Context Menu Options**.


## 2.1.6.1 The Component Collapse/Expand Button

This button helps you quickly collapse or expand all components in the inspector window.



Modes:

- Regular click: To collapse all components at once.
  - If all components are already collapsed, the button will turn blue, and clicking it will instead expand the components back.




• Right click: To expand all components at once.

You can show or hide this button through the <u>Settings Window</u> or in the <u>Context Menu</u>, at 'Inspector Settings/Tab Bar Design/Show Collapse button'.

### 2.1.6.2 New Component Context Menu Options

CoInspector adds individual options to your Components so you can have even more control over them:



Things you can do here:


- Move to Top: To instantly send a Component to the top of the Component list.
- Collapse All: To collapse all Components at once.
- **Collapse All But This:** To collapse all Components, keeping the selected one expanded.
- **Expand All:** To expand all Components at once.
- **Expand All But This:** To expand all Components, keeping the selected one collapsed.

<u>Note:</u> When using "... All But This" options, Colnspector will scroll to the selected Component to help you identify it.

These tools, combined with <u>Advanced Dragging</u>, provide quick and flexible ways to control and rearrange your components within the inspector window.

# 2.1.7 Component Filter Bar

Colnspector a **Component Filtering** feature in the form of a 'search bar' to only show specific components within a Tab. The filter bar is located next to the **Header buttons** and can be quickly accessed by using the default <u>Keyboard Shortcut</u> Alt + F.



#### Using the Component Filter:

- Type the desired component name into the filter bar, and only components matching the text will be displayed.
- To disable the filter **without erasing the text**, toggle the filter off using the checkbox next to the bar.

#### Filter Behavior:

- Each Tab has its own independent filter.
- The Component Filter can be hidden through the <u>Settings Window</u> under Header Design.

# 2.1.8 Play Mode Save for Transforms

CoInspector allows you to save **Transform** and **RectTransform** values during Play Mode, applying them when returning to Edit Mode.

During Play Mode, a **Save** button will appear on the left side of **Transform/RectTransforms**.

|          | Transform |   |   |   | 6 | ) 72 🗄 |
|----------|-----------|---|---|---|---|--------|
| Position | х         | 1 | Y | 1 | z | 1      |
| Rotation | х         | 0 | Y | 0 | Z | 0      |
| Scale    | ×β        | 1 | Y | 1 | Ζ | 1      |

#### 2.1.8.1 Saving Specific Transform values

- Click the button to save the current values at any point.
  - The icon turns **blue**, indicating the current values are saved.
  - If modified later, the icon turns **yellow**, indicating the saved values are outdated.
    - If pressed again, the values will get updated.
    - If middle-clicked, the save operation will be canceled.

| 8 🔻 🙏    | Tr | an | sform |   |   | 0 | ) # i | H | ▼ 🙏      | Т | an | sform |   |   | 6 | ) た |  |
|----------|----|----|-------|---|---|---|-------|---|----------|---|----|-------|---|---|---|-----|--|
| Position |    | х  | 2     | Y | 1 | z | 1     |   | Position |   | х  | 3     | Y | 1 | z | 1   |  |
| Rotation |    | х  | 0     | Y | 0 | z | 0     |   | Rotation |   | х  | 0     | Y | 0 | z | 0   |  |
| Scale    | Ø  | х  | 1     | Y | 1 | Ζ | 1     |   | Scale    | 8 | х  | 1     | Υ | 1 | Ζ | 1   |  |

• If clicked again (or middle-clicked), the icon will turn white, cancelling the save.

#### 2.1.8.2 Auto Saving on Exit Play Mode

- Right-click the Save icon and select Auto Save on Exit Play Mode.
  - The icon turns **red**, indicating Auto Save is active.

| 🗎 🔻 👃 Transform             | 0 ‡ : | 💾 🔻 🙏 Transform   | 0 ‡ : |
|-----------------------------|-------|-------------------|-------|
| Save current Transform      | Z 1   | Position X 3 Y 1  | Z 1   |
| Auto Save on Exit Play Mode | z o   | Rotation X 0 Y 0  | Z 0   |
| Scale 🔍 X 1 🛛 🕅 1           | Z 1   | Scale 🖾 X 1 🛛 Y 1 | Z 1   |

• To disable Auto Save, click the icon again or select the option from the context menu.

# 2.1.8.2 Testing Changes in Edit Mode

- After exiting Play Mode, saved Transforms will show an **Undo** button to revert changes.
- You can now Undo and Redo to compare and avoid any undesired changes.

| ນັ້ 🖌 🍸  | Transf | orm |   |   | 0 | ᅷ | : | Ç 🔻 🖊     | Trans | sfo | rm |   |   | 0 | ᅷ | : |
|----------|--------|-----|---|---|---|---|---|-----------|-------|-----|----|---|---|---|---|---|
| Position | х      | 3   | Y | 1 | Z | 1 |   | ♣Position |       | х   | 1  | Y | 1 | Z | 1 |   |
| Rotation | Х      | 0   | Y | 0 | Z | 0 |   | Rotation  |       | х   | 0  | Y | 0 | Z | 0 |   |
| Scale    | Ø Χ    | 1   | Y | 1 | Z | 1 |   | Scale     | ß     | х   | 1  | Y | 1 | z | 1 |   |

# 2.1.9 Override Scene Tools


Colnspector offers an **Experimental Feature** to override the default Scene Tools (*Move, Rotate, Scale and Transform*) so they target your active Tab instead of the active Selection.

#### This feature is only necessary when <u>Auto-select on Tab switch</u> is disabled.

To enable it, you can turn on the toggle button found in the Scene View:



(You may need to right-click the 'Scene' tab and check the Overlay Menu to make the button visible, depending on your Unity Version).



You can also enable it in the <u>Settings Window</u>, under '**Override Scene Tools**?' (the section is only visible when <u>Auto-select on Tab switch</u> is disabled).


Again, this is an experimental feature, so it will not be perfect at times, including:

- The Rect Tool cannot be overridden yet (it will still target your active Selection)
- The 'center points' of multiple GameObjects will not always match Unity's default
- Drawing colliders may fail at times
- Selecting multiple nested GameObjects can add overhead to the Editor at times

We're actively improving this feature and fixing these issues, but if they become too annoying to work with... please just disable it!

# 2.2 Tabs

Tabs are the second main feature of CoInspector. As tabs on a browser, you can create as many as you want, rearrange them, and switch between unlimited targets with a single click.



Each Tab works as an independent Inspector. Unless locked, <u>the active Tab will update as the</u> <u>Selection changes</u>, but **ignoring null selections**, **empty selections** and, of course, **Assets**.

#### Some of their main features include:

- They **cannot be null**: Empty or invalid selections will be ignored. Only choosing a new target, deleting the current one or closing the Tab will affect your active target.
- They're **100% independent between them**: So you can assign different **lock states**, **debug modes** and combine different **multi selections**.
- They keep track of your <u>Inspection History</u>: So you can freely navigate each Tab's last selections and even recover them if accidentally closed.

# 2.2.1 Types of Tabs

Depending on the number of GameObjects inspected, a Tab will be a **Regular Tab** or a **multi-target Tab**. Understanding them will help you make the most of your workspace.

## 2.2.1.1 Regular Tabs

These are the ones that point to a single GameObject in the Hierarchy.

| I€ ►I        | ⊗D    | irectional Ligh  | EventSyst | tem 🛛 | Main Ca | amera   |    |            | +  |
|--------------|-------|------------------|-----------|-------|---------|---------|----|------------|----|
| $\Theta_{-}$ | ~     | Directional Ligh | ıt        |       |         |         |    | Static     | •  |
|              | Tag   | Untagged         |           | •     | Layer   | Default |    |            | •  |
|              |       |                  |           |       |         |         | ۳, | . 🔶 🖯 '    | '≣ |
| ▼ 🙏          | Т     | ransform         |           |       |         |         |    | <b>9</b> ≓ | :  |
| Pos          | ition |                  | X O       | )     | Y       | 3       | z  | 0          |    |

Visually, these Tabs will display the name of the target and an icon representing its most relevant component (or you can disable icons in the <u>Customization Section</u>).

#### 2.2.1.2 Multi-target Tabs

When more than a GameObject is selected, the active Tab becomes a **multi-target Tab**. Visually, they will display a blue '+' symbol and the number of objects selected.

| 🔣 🕨 🔇 Directional Lig | h + (4) Objects        | + (2) Objects                |                | +          |
|-----------------------|------------------------|------------------------------|----------------|------------|
| ⊕_ ⊻ =                |                        |                              | (4)            | Static 🔻   |
| Tag —                 |                        | <ul> <li>Layer De</li> </ul> | efault         | -          |
| •                     |                        |                              |                | ik   ♦   € |
| Selecting: Main Came  | ra + Directional Light | + GameManager                | + EventSystem  |            |
| 🔻 🙏 🛛 Transform       |                        |                              |                | 0 ‡ :      |
| Position              | X 0                    | Y -                          | - Z            | _          |
| Rotation              | x —                    | Y -                          | - Z            |            |
| Scale                 | ଷ X 1                  | Y 1                          | Z              | 1          |
| -                     |                        |                              |                |            |
| Components that are o | nly on some of the s   | elected objects              | cannot be mult | i-edited.  |

Each Tab works as an isolated multi-selection, so you can:

- Store different selections in different Tabs and switch between them.
- Use the <u>Improved Multi-selection View</u>, to check your targets, open them in new Tabs, remove them from the selection... and more.

Combined with **Individual lock states** and **History Tracking**, it is highly unlikely to lose a multi-selection, even by accident.

Multi-target Tabs work as Regular Tabs do, but they have some considerations to keep in mind:

- **Components can't be reordered via <u>dragging</u>:** But you can still use the Component's Context Menu options to move them down and up.
- Local Hierarchy View is not available: But you can right-click individual elements to individually open them in this mode.
- Deleting GameObjects will remove them from any Tab targeting them.

# 2.2.2 Creating Tabs

When creating Tabs, you can choose between completely New Tabs or already Filled Tabs.

#### 2.2.2.1 New Tabs


These are Tabs with no target assigned yet. To assign a target, just click on any GameObject in the Hierarchy and the Tab will update to register it, as the regular Inspector Window would.

#### You have the following ways to create them:


• Click the Add Button: To add a New Tab right next to your active Tab.



• Right/middle-click the Add Button: To add a New Tab to the end of the Bar.



• **Right-click a Tab and select "Add Tab to the Right**": The New Tab will be added right next to it.



#### Some considerations:


- New Tabs can't be locked or set to Debug Mode.
- Untouched New Tabs (as in, created but never assigned a target) are ignored by <u>History</u> <u>Tracking</u> and <u>Sessions</u>, so they will be automatically erased after Assembly Reloads, Editor restarts and Play Mode changes.

#### 2.2.2.2 Filled Tabs

These are Tabs created with target(s) already assigned, so you can immediately start working on them.

#### You have 2 options:


• **Middle-click a GameObject on the Hierarchy**: This will open it as a Tab next to the current one, setting it active.




• **Right-click a GameObject and choose 'Open Selection in a New Tab':** This will open it in a new Tab, <u>without setting it active</u>.

To open multiple GameObjects as a multi-target Tab, the process is as follows:

- 1. Have an active multi selection in the Hierarchy.
- 2. Middle-click any GameObject of the selection (or choose the 'Open in a New Tab' option). The Tab will be created right next to your active Tab.



Finally, you can duplicate any existing Tab by right-clicking it and accessing the Context Menu.



## 2.2.3 Basic Controls

For an easy workflow, Colnspector Tabs are designed to mimic browser tabs.


Some things that you can do:

- Drag them around to rearrange them.
  - Dragging Tabs has more uses, like dragging them into Inspector fields as GameObjects. This is explained in the <u>Advanced Dragging</u> section.
- Close them with a middle-click.
- <u>Hover them</u> to reveal information about their target(s).
- Click them to perform a <u>Behavior on Tab Click</u>
  - An automatic action each time you click on a Tab
- Double-click them to perform a <u>Behavior on Tab Double-Click</u>
  - An automatic action triggered each time you double-click a Tab
- Right-click them to reveal a <u>Tab Context Menu</u> with way more options.

Pretty straightforward!

#### 2.2.3.1 Scrolling the Tab Bar

For navigating the Tab Bar once it starts to get filled, you can either use the **Scrollbar** that will show up, or simply scroll around using any of your **mouse wheels**.



The **Scrollbar visibility**, the **scroll speeds** and **scroll directions** of both mouse wheels can be modified in the <u>Settings Window</u>, and within **Inspector Settings**, in the <u>Context Menu</u>.

| Tab Bar Design             | > |                                |   |          |
|----------------------------|---|--------------------------------|---|----------|
| Tab Bar Scroll Settings    | > | Vertical Mouse Wheel Speed     | > | ✓ Normal |
| Sessions Behavior          | > | Horizontal Mouse Wheel Speed   | > | Fast     |
| ✓ Ignore Folder Inspection |   | Invert Vertical Mouse Wheel    |   | Fastest  |
| Disable Asset Inspection   |   | Invert Horizontal Scroll Wheel |   |          |
| 🛨 Open the Settings Window |   |                                |   |          |


# 2.2.4 Lock State and Debug Mode

#### 2.2.4.1 Individual Modes

Each Tab has its unique **Lock State** and **Debug Mode**. Locking a Tab will keep its target(s) fixed until you unlock it again, and the Debug Mode will show or hide the debug inspector.

#### To change them, you have the following options:


• **The upper right buttons**: These will affect the active Tab, and as such, they also serve as visual indicators of the current state of the tab.




Example of a locked Tab.

Example of a Tab in Debug Mode

• The <u>Context Menu</u>: Right-click a Tab to change modes without switching tabs.



 The Locked Tab Icon: The icon that appears when a Tab is locked can be clicked to unlock the Tab. This icon will appear even if you disable icons in <u>Tab Customizations</u>.



• Setting your <u>Behavior On Tab Double-Click</u> to Lock/Unlock: This will make double-clicking Tabs immediately switch between locked and locked.


#### Keep in mind that Debug Modes and Lock States cannot be applied to New Tabs.

#### 2.2.4.2 Full Debug Mode


**Full Debug Mode** temporarily enables debug inspectors for <u>all Tabs</u>, regardless of their individual Debug Mode settings.

This mode is useful for general debugging across multiple Tabs simultaneously, and entering it **will not affect your individual Tab modes** on exit.

- Entering Full Debug Mode:
  - Middle-click the Debug button of any Tab.
  - Right-click the Debug button and select Enter Full Debug Mode.
  - Right-click the Colnspector Window Tab and select **Full Debug Mode**.



- Exiting Full Debug Mode:
  - Click the Debug button of any Tab again.
  - Right-click the Debug button and select **Exit Full Debug Mode**.
  - Right-click the Colnspector Window Tab and select **Normal Mode**.



When active, the Debug button will be green (instead of blue).

# 2.2.5 Behaviors on Tab Click

Colnspector provides some automatic actions when switching Tabs: **Auto-selection** and **Auto-Focus on Scene View**.


### 2.2.5.1 Auto-selection (Disabled by default)

When enabled, switching Tabs will also select the target(s) of it in the Hierarchy, **just as if you had clicked the** <u>Select Button</u>.

<u>Setting Auto-selection to on or off has different use cases</u>. We recommend reading about both and combining them based on your tasks and preferred workflow.

#### Auto-selection Off

- Switching Tabs won't affect your active Selection
- Active Editor Tools will keep working after switching Tabs
  - So if you're editing an Animation or a Collider, switching to inspect another target won't end the process.
- Global Scene Tools will still be linked to your active Selection
  - This includes Move Tool, Rotate Tool, Scale Tool... etc.
  - **Press the Select Button** if you need them to point to your Tab's target(s).



This setting is recommended for tasks that don't require Scene Tools (Move, Rotate, etc.) and when you don't want to lose your current selection or active Editor Tool.

#### Auto-selection On

- When you switch to a different Tab, its target will be selected in the Hierarchy
  - In the case of multi-target Tabs, all GameObjects will be selected at once.
- Global Scene Tools will point to the new Tab's target(s) by default
  - This includes Move Tool, Rotate Tool, Scale Tool... etc.
- Active Editor Tools may close when switching Tabs
  - So if you are editing an Animation or a Collider, the process will end.

This setting is recommended when working with Scene Tools (*Move, Scale, Rotate...*) and when you want to be sure you're targeting the content of your active Tab.

You can turn on and off Auto-selection in the <u>Settings Window</u> or in the <u>Context Menu</u>, via 'Inspector Settings/On Tab Click/Select in Hierarchy'.


| On Tab Click                   | >  | Select in Hierarchy |
|--------------------------------|----|---------------------|
| On Tab Double-click            | >  | Focus on Scene View |
| On Tab Hover Info              | >  |                     |
| Tab Bar Design                 | >  |                     |
| Tab Bar Scroll Settings        | >  |                     |
| Sessions Behavior              | >  |                     |
| ✓ Ignore Folder Inspection     |    |                     |
| Disable Asset Inspection       |    |                     |
| $\star$ Open the Settings Wind | ow |                     |

Pro Tip: You can combine Auto-selection off with <u>Behavior on Tab Double-click</u> -> 'Select Tab Target(s)' for a half way approach.

### 2.2.5.2 Auto-frame on Scene View (Disabled by default)

When enabled, **Colnspector will automatically focus the target(s) of your Tabs** when you switch Tabs, just as if you had clicked the <u>Focus Button</u>.

You can change this setting at any moment in the <u>Settings Window</u>, or in the <u>Context Menu</u> by selecting 'Inspector Settings/On Tab Click/Frame on Scene View'



# 2.2.6 Behavior on Tab Double-click

Colnspector also lets you perform actions when double-clicking a Tab.

#### You can only have one active behavior, so choose wisely!:

- Lock/Unlock Tabs: To Lock or Unlock the Tab immediately.
- Select Tab Target(s): This will select the targets in the Hierarchy, just like clicking the Select Button. (A great option to have when Auto-selection is off!)
   Enabled by default!
- Frame Tab Target(s) on Scene View: Double-clicking a Tab will focus its target as if you had used the Focus Button (or had double-clicked the target in the Hierarchy).
- Show in Local Hierarchy View: Double-clicking a Tab will work as pressing the <u>Local</u> <u>Hierarchy View</u> button. <u>This is not available in multi-target Tabs</u>.


You can customize these behaviors in the <u>Settings Window</u> or in the <u>Context Menu</u>, under 'Inspector Settings/On Tab Double-click'.

# 2.2.7 Behavior on Tab Hover

By default, hovering a Tab for a couple of seconds will provide information about its target(s).

You can decide how much information you want to see:

• Name only: This option will simply provide the full name of the hovered Tab.



- Tree view: This will provide the relative position of the GameObject in the Hierarchy.
  - Helpful to tell apart GameObjects with similar names and repeated groups.
  - You can only see up to 4 parents.

| I€ ÞI      | 🙏 _Cameras  | Collider | Sprite with a so                     |       | + |
|------------|-------------|----------|--------------------------------------|-------|---|
| ~          |             |          | ITEMS T                              |       |   |
| $\bigcirc$ | ✓ Collider  |          | L Background S                       | tatic | • |
| ~          | Tag Untagge | d        | ∟ Static<br>∟ Sprite parent          |       | • |
|            |             |          | L Sprite with a somewhat long name > | 0     | ŧ |

• **Nothing:** Y-you can probably guess this one.

### 2.2.7.1 Hovering multi-target Tabs

Unless set to 'Nothing', hovering <u>multi-target Tabs</u> will always show the names of the **GameObjects** included in the selection as a list.


| M | ы          | ⊚L              | ogolmage                | 🇊 Expl    | losion                               | + (6)      | Obj               | jects 🕂               |   |
|---|------------|-----------------|-------------------------|-----------|--------------------------------------|------------|-------------------|-----------------------|---|
|   | ) <b>.</b> | <b>∠</b><br>Tag | Logolmag<br>Untagged    |           | 2. Log<br>3. Uni<br>4. Rer<br>5. Uni | -          | e<br>Back<br>Butt | kground               |   |
|   |            |                 | On Tab Clic             | :k        |                                      |            | >                 |                       |   |
|   |            |                 | On Tab Dou              | uble-clic | k                                    |            | > ,               |                       | _ |
|   |            |                 | On Tab Hover Info       |           |                                      |            | >                 | ✓ Tree view           |   |
|   |            |                 | Tab Bar Design          |           |                                      |            | >                 | Name                  |   |
|   |            |                 | Tab Bar Scroll Settings |           |                                      |            | >                 | Nothing <sup>kg</sup> | ĥ |
|   |            |                 | Sessions B              |           |                                      | <u>`</u> ( |                   | E.                    |   |
|   |            | ~               | Ignore Fold             | er Inspe  | ction                                |            |                   |                       |   |
|   |            |                 | Disable Ass             | set Inspe | ection                               |            |                   |                       |   |

You can change the **Tab Hover Behavior** in the <u>Settings Window</u> and within '**Inspector Settings/On Tab Hover Info**' in the <u>Context Menu</u>.

★ Open the Settings Window

# 2.2.8 Tab Bar Customization

The **Tab Bar** can be slightly customized to remove some visual elements or change the overall design of them.



Some elements that can be changed:


- Tab size
- Tab Icons
  - The locked bar icon will still show up!
- The <u>History Tracking</u> buttons
  - o <u>Closed Tab Recovery</u> and <u>Sessions</u> will keep working.
- The Collapse/Expand button
- The Tab Bar Scrollbar
  - You can still use the mouse wheels to scroll.
- The On Tab Hover Info Text
  - By setting the option to '**Nothing**'.

All these and more options can be individually modified in the <u>Tab design</u> section of the <u>Settings Window</u> and in the <u>Context Menu</u>.

|              | On Tab Click<br>On Tab Double-click<br>On Tab Hover Info | ><br>><br>> |              |                               |   |
|--------------|--|-------------|--------------|-------------------------------|---|
|              | Tab Bar Design   | >           |              | Tab Size                      | > |
|              | Tab Bar Scroll Settings                                  | >           | ~            | Show History Tracking buttons |   |
|              | Sessions Behavior  | >           |              | Show Tab icons                |   |
|              | Switch to Existing Tabs                                  |             | ~            | Show Scrollbar                |   |
| $\checkmark$ | Ignore Folder Inspection                                 |             | $\checkmark$ | Show Collapse button          |   |
|              | Disable Asset Inspection                                 |             | $\checkmark$ | Show Component Filter bar     |   |
|              | ★ Open the Settings Window                               |             |              |                               |   |

# 2.2.9 Tabs and Prefab Mode

When you **Open a Prefab Asset** in **<u>Prefab Mode</u>**\*CoInspector will **automatically create a dedicated Tab** for it, and its **name will turn blue**.




(Opening a Prefab Asset from its Prefab Instance)

\*This doesn't mean inspecting Prefab Instances in the scene, but opening a **Prefab Asset** in **Context** or **Isolation.** This is done via the Prefab **'Open'** Button, by double-clicking a Prefab Asset, or opening a Prefab Asset via the Asset View.

Keep in mind the following things while in Prefab Mode:

- You can fully inspect the content of the Prefab with all Tab features: This includes lock/debug modes, multi-target Tabs, History Tracking, and so on.
- **Existing Tabs can be accessed and used:** Tabs targeting the active scene can still be fully inspected, allowing you to check them, modify them, or drag them into the Prefab.
- <u>Tabs created in Prefab Mode will be closed once you exit it</u>: As the targets no longer exist once closed. Records of the Prefab found in other Tabs will also be removed.
- Existing Tabs may be closed too: If you switch to an already existing Tab and start inspecting the Prefab, it will close when exiting Prefab Mode if no valid target is found between its 10 <u>History Steps</u>.
- Blue names and the lack of a Prefab icon will help you identify Prefab Tabs



(Exiting Prefab Mode, CoInspector deletes all Prefab Tabs)

For clarity, we recommend using new, dedicated Tabs when working in Prefab Mode.

# 2.3 History Tracking

As an internet browser, each <u>Tab</u> tracks your movements, allowing you to navigate your recent targets at any point.

A Tab can remember up to the last 10 selections (single or multiple) you've worked with.


# 2.3.1 Basic Controls

#### You have the following options:


• To move a step back or forth, use the Back/Forward buttons. (Or press Alt+Left/Right)

| StartButton StartButton     | <b>_</b>      | I ► ► OLogoImage Cxplosion +       |
|-----------------------------|---------------|------------------------------------|
| K<br>→ StartButton Static ▼ |               | Cogolmage Static -                 |
| Tag Untagged ▼ Layer UI ▼   | $\rightarrow$ | Tag Untagged ▼ Layer UI ▼<br>� ❻ ≔ |

- To open the step as a new Tab, **middle-click** the **Back** and **Forward** buttons.
  - The new Tab will inherit the original Tab's history tracking.




 To jump to a specific history step, right-click the Back and Forward buttons and choose your desired target from the list.



<u>It's currently not possible to open specific steps in new Tabs, as Unity's default Context Menus</u> <u>don't distinguish mouse button clicks. We're working on a custom solution.</u>

# 2.3.2 Considerations and Limitations

• When working with **multi-selections**, each change is considered a **History Step**. So, when moving back or forward, CoInspector will undo or redo the selection.




- With <u>Auto-selection</u> on, going back/forward will also update your active Selection.
- A locked Tab can move back and forward. <u>This is expected behavior</u>, so Tabs can stay locked while taking advantage of **History Steps**.
- Selecting a new target **after** moving back **will remove existing forward** steps. <u>This is</u> <u>expected behavior</u> based on how web browsers manage history navigation.
- Inactive GameObjects won't survive History records after restarting the Editor due to a <u>Unity limitation</u>.
- When exiting <u>Prefab Mode</u>, CoInspector will remove all records of said Prefab from your Tabs or close them if no valid target is found. <u>This is expected behavior</u> to avoid leaving empty <u>New Tabs</u> all over the place.

# 2.3.3 Restoring Closed Tabs

Colnspector also includes a handy way to recover your last 10 closed Tabs.

Simply right-click a Tab (or the Tab Bar) and pick the option in the Context Menu:



Every recovered Tab will carry over its entire History!


# 2.4 Advanced Dragging

Colnspector expands on dragging for a seamless flow between <u>Tabs</u>, Components and Assets.


### 2.4.1 Dragging Tabs onto Fields

Tabs can be dragged for more than just reordering them:

• Drag a Tab downwards to start dragging the GameObject itself, so you can drop it in any Component or Asset field without switching Tabs.



 Dragging <u>multi-target Tabs</u> will include all the targets within it, so you can fill in arrays with a single drop.



### 2.4.2 Dragging Components, GameObjects or Assets onto Tabs


Sometimes, you will need to drag a Component, GameObject or an Asset onto a field on a different Tab.

To streamline this process, you can simply:

#### 1. Drag the Component/GameObject/Asset and hover the Tab.

#### 2. The Tab will become active after a few seconds.


- You may need to move the cursor while hovering!
- 3. Drop your object(s) or keep switching Tabs until you find the target.



Note: Dragging Tabs directly onto other Tabs isn't supported yet!

### 2.4.3 Dragging and Cloning Components


As expected, you can drag Components to reorder them...



...but Colnspector takes the concept a bit further:


#### 2.4.3.1 Cloning Components

Hold **Control** (or Command) while reordering a Component, and the blue visual bar will turn **green**. Now, instead of moving the Component, you'll create a copy at the selected position **without needing to Copy and Paste**.



#### 2.4.3.2 Moving Components between GameObjects


If you <u>drag a Component onto a different Tab</u> and hover its Components, the **blue bar** will appear. This will <u>move</u> the Component to that GameObject at the selected position.



This greatly streamlines the process of relocating Components between GameObjects, removing the need to **Copy-Paste**.

#### 2.4.3.3 Cloning Components between GameObjects

If you hold **Control** (or Command) when <u>moving Components between GameObjects</u>, the blue bar will turn green. This will create an exact copy at the selected position.



This is a straightforward way of duplicating Components between GameObjects, removing the need of **Copy** and **Paste**, and any additional step to reorder the Component.

#### 2.4.3.4 Some considerations!

• To make reordering easier, collapsed Components will only expand when dragging over their left side.




- Some Component Types (*Renderers, Animators…*) <u>can't be present twice</u> in the same GameObject, so you won't be able to clone them either.
- <u>Prefab Assets in Asset View</u> can't have their Components reordered or cloned. <u>Please</u>, open them in <u>Context or Exclusive mode</u>.
- **Dragging and cloning isn't available yet for multi-target Tabs**, but regular context menu options will work normally. (*We're working on it!!*)

| 📢 🕨 🗖 Source A    | + (2) Objects     | ·                | +                |
|-------------------|-------------------|------------------|------------------|
| Ŷ_ <b>⊻</b> –     |                   | (2) 🗕 Static     | •                |
| Tag Untagg        | ed 🔻 Laye         | r Default ,      | -                |
| <b>v</b>          |                   | 🖺 🔶 🛈 🗑          |                  |
| Selecting: Source | A + Source B      |                  |                  |
| 🕨 🥇 💦 Transfor    | m                 | 9 ≓              | :                |
| 🕨 📢 🗹 Audio So    | urce              | 0 ‡              | :                |
| 🕞 🗖 🗹 Box Colli   | der 2D            | 0 ‡[             |                  |
| 🕨 🗖 🗹 Box Colli   | der 2D            | 9 ≓              | Reset            |
| Components that a | re only on some o | f the selected c | Remove Component |
| Ad                | d Component       | 3                | Move Up          |
|                   |                   |                  | Move Down        |

### 2.4.4 Dragging Assets from the Asset Bar


To drag the Asset(s) you're currently working with on the <u>Asset View</u>, simply drag the <u>Asset</u> <u>Bar</u> itself. <u>This works with both single Asset selections and multi selections.</u>



### 2.4.5 Dragging Assets as Components

When dragging Assets of specific Types, Colnspector will try to add them as Components.

For example, dragging an AudioClip will add an AudioSource, an AnimatorController will create an Animator, a Sprite a SpriteRenderer... etc.



This is still a proof of concept, so the list of compatible Types is still underwhelmingly short:


| VideoClip → VideoPlayer     Material → MeshRenderer     Font → Text |
|---|
|---|

(\*Depending on the GameObject having a Transform or a RectTransform)

If you'd like to suggest new combinations, just let us know at hey@stuff-solutions.com!

# 2.5 The Tab Context Menu

When you right-click a <u>Tab</u> (or the **Tab Bar** itself), a **Context Menu** will show up. This menu provides specific actions for the selected Tab, and settings that can affect the <u>GameObject</u> <u>View</u>, the <u>Asset View</u> or Colnspector in general.



If you click on a Tab, you'll see the full Context Menu

### 2.5.1 Tab Options

These are the actions that affect the Tab you right-clicked on and your GameObject workspace.

- Add Tab to the Right / Add New Tab: It adds a <u>New Tab</u> next to the selected Tab.
- Lock/Unlock Tab: Locks or unlocks the Tab.
- Select in Hierarchy: Selects in Hierarchy the target(s) of the Tab.
  - This option will be disabled if already selected.
- Frame on Scene View: Focuses the Scene View on the target(s) of the Tab.
- **Ping in Hierarchy**: To Ping the target of the Tab in the Hierarchy.
- Show In Local Hierarchy View: It opens the target of the Tab in Local Hierarchy View.
   This option gets disabled in multi-target Tabs.
- Close Tab, Close Tabs to the Right, Close Tabs to the Left and Close all other Tabs: Well... you most probably can guess.
- **Restore Closed Tab**: It restores up to 10 closed Tabs. Learn more in the <u>Restore</u> <u>Closed Tabs</u> section.


- Restore Last Saved Session: Colnspector will load the existing <u>Session</u> for the active scene.
  - $\circ~$  A prompt will give you more information about the date and content of it:

| Are you sure?  |    |
|--|----|
| This will restore 5 Tabs from<br>your Session:                       | ı  |
| 08:51 PM (May 6, 2024)   |    |
| 1. Source A<br>2. (2) Objects<br>3. Spine1<br>4. Mesh<br>5. Skeleton |    |
| No Yes!  |    |
|  | \$ |

• Normal / Debug: To switch the Tab between its Normal and its Debug modes.

#### **Extra Options for Prefab Instances**

When a Prefab instance is the target of the clicked Tab, CoInspector will add new options:



- Open Root Prefab Asset in Scene Context:
  - To Open the Prefab in Scene Context Prefab Mode
- Open Root Prefab Asset in Isolation:
  - To Open the Prefab in Scene Context Prefab Mode
- Ping Root Prefab Asset:
  - To Ping the actual Prefab Asset in the **Project Window**.

### 2.5.2 Inspector Settings

This section acts as a **compact version of the <u>Setting Window</u>**, allowing you to modify settings and behaviors of the **GameObject View**, <u>Sessions</u> and the <u>Asset View</u>.

|   | On Tab Click                     | > |
|---|----------------------------------|---|
|   | On Tab Double-click              | > |
|   | On Tab Hover Info                | > |
|   | Tab Bar Design                   | > |
|   | Tab Bar Scroll Settings          | > |
|   | Sessions Behavior                | > |
|   | Switch to Existing Tabs          |   |
| / | Ignore Folder Inspection         |   |
|   | Disable Asset Inspection         |   |
|   | $\star$ Open the Settings Window |   |
|   |                                  |   |

#### Options included here are:

- **On Tab Click:** Sets the <u>Behavior on Tab Click</u> (what happens when you click on a Tab or switch to it).
  - **Select in Hierarchy**: To toggle <u>Auto-selection</u> on Tab click.
  - **Focus on Scene View**: To toggle <u>Auto-focus</u> on Tab click.
- **On Tab Double-click:** Sets the **Behavior on Tab Double-click** (what happens when you double-click a Tab).
  - Lock or Unlock Tab: Toggles between lock states on Tab double-click.
  - **Select in Hierarchy**: Selects target(s) on Tab double-click.
  - Focus target on Scene View: Focuses target(s) on Tab double-click.
  - **Show in Local Hierarchy Pop-up**: Shows targets in <u>Local Hierarchy View</u> on Tab double-click.
- **On Tab Hover Info**: Sets the **Behavior on Tab Hover** (the text that appears when you hover a Tab)
  - **Tree view**: Shows the full name of the target and up to 3 parents.
  - **Name**: Shows just the full name of the target.
  - **Nothing**: Shows... nothing.

(Unless 'Nothing', multi-target Tabs will always show the names of all targets.)

- **Tab Bar Design**: Sets <u>Tab Bar Customization</u> options (which elements to show on the Tab Bar).
  - **Show icons**: Disable to hide icons on Tabs.

- Show History Tracking buttons: Disable to hide the Back and Forward buttons.
- **Show Collapse button**: Disable to hide the <u>Component Collapse/Expand</u> button.
- Show scrollbar: Disable to hide the Tab Bar scrollbar
- **Tab Bar Scroll Settings**: Sets how scrolling the Tab Bar works when using the mouse wheels.
  - **Vertical Mouse Wheel Speed**: Sets how fast scrolling the regular wheel affects Tab scrolling, between **Normal**, **Fast** and **Fastest**.
  - **Horizontal Mouse Wheel Speed**: Sets how fast scrolling the secondary wheel affects Tab scrolling, between **Normal**, **Fast** and **Fastest**.
  - **Invert Vertical Mouse Wheel**: Inverts Tab scrolling direction when using the main mouse wheel.
  - **Invert Horizontal Mouse Wheel**: Inverts Tab scrolling direction when using the secondary mouse wheel.
- **Switch to Existing Tabs**: When enabled, clicking a GameObject in the Hierarchy will switch to any existing Tab with the same target instead of assigning it to the active Tab.
- **Sessions Behavior**: Sets the <u>Sessions Settings</u> (how Colnspector handles previous Sessions after restarting or switching scenes).
  - Always Ask: Colnspector will ask to load a previous Session.
  - Always Restore: Colnspector will automatically load the previous Session.
  - **Disable Sessions**: Colnspector won't ask to load Sessions.
- **Ignore folder Inspection**: When enabled, CoInspector will ignore clicking on single folders to make asset browsing more relevant.
- **Disable Asset Inspection**: When enabled, Colnspector's **Asset View** will be disabled.
- **★Open the Settings Window:** It opens the actual **Settings Window**.

# 3. The Asset View

The other main section of CoInspector is the **Asset View**, a full-on secondary inspector designed to handle Assets in <u>a less intrusive</u>, yet more flexible way.

It's an independent panel that you can freely resize, customize, lock, minimize... or just leave it there. No matter what, it will not interfere with your Scene and Tabs.

| I ►I ■ MenUAnimation | ľ        |                      | ۰        |   |        | ۱   |     | + |
|----------------------|----------|----------------------|----------|---|--------|-----|-----|---|
| 🕀 🗸 MenUAnima        | tio      |                      |          |   |        |     |     |   |
| Tag Untagged         |          |                      |          |   |        |     | 0   |   |
| 🔻 🙏 🛛 Transform      |          |                      |          |   |        |     |     |   |
| Position             |          | 0                    |          | 0 |        | 0   |     |   |
| Rotation             |          | 0                    |          | 0 |        | 0   |     |   |
| Scale 🔍              |          |                      |          |   |        |     |     |   |
|                      |          |                      | <u> </u> | 1 |        |     |     |   |
|                      | -        | Compone              | _        |   | 3      | _   | _   | _ |
|                      | dd       | Compone              | _        |   | _      | ± 6 | ) 8 | × |
| A                    | dd       | Compone              | _        |   | _      |     | a   | × |
| A                    | dd<br>Au | Compone<br>dio Clip) | nt       |   | 3<br>7 |     | a   | × |

Combined with new features and shortcuts, the goal is simply to make dealing with Assets as intuitive and straightforward as possible.

# 3.1 Asset Inspection

As the <u>GameObject View</u> does with GameObjects, the Asset View will only accept Assets as targets, ignoring empty selections. You can keep working normally with your scene and Tabs while your inspected Assets <u>remain available at the Asset View</u>.

- Inspected Assets will be available until you select new ones, <u>close the Asset View</u>, or delete the Asset(s).
- Unlike GameObjects, **you can only have one active Selection** (single or multi-target) active in the Asset View.
- You can lock the Asset View[link] to keep your current target fixed.
- You can set the Asset View to Debug Mode
- When no Asset is selected (or you close Asset View), the section will not be visible.

# **3.2 Inspection Detail on the Asset View**

These are options that allow you to set how much information you want to see on your Asset View, and some extra features.

### 3.2.1 Compact Mode and Import Settings

By default, Colnspector presents a **compressed version of your Assets**, excluding most **Import Settings**, the **default Header**, and some specific fields depending on the Asset.

This is called **Compact Mode**, and is meant to make **previewing Assets** a little more straightforward, hiding all those settings we interact with only at specific times.




Some notes:

- You can exit **Compact Mode** at any point to show **all the Import Settings** of your Assets by just clicking the **Import Settings** button.
- Your choice will remain active until changed again.

### 3.2.2 Expanding and Collapsing the Asset View

By default, the **Asset View** shows **Expanded**. However, it can also be **Collapsed** into a non-intrusive footer, while still remaining completely functional.



You can easily switch between modes by **clicking the** <u>Asset Bar</u> or choosing the option in the Asset View Context Menu.

#### Some notes:

- You can show more details about your Assets by enabling the Import Settings.
- Your current mode will remain when changing your target Asset

### 3.2.2 Asset-Only Mode

This mode maximizes the **Asset View** to occupy the entire CoInspector Window, temporarily hiding the **GameObject View** and all **Tabs**.

This is meant to help work with Assets, automatically drawing the **complete Inspector** and behave as the regular Inspector Window.


#### Entering Asset-Only Mode:

- Resize the Asset View all the way up until a blue tint appears, then release the mouse.
- Right-click the Asset Bar and select Enter Asset-Only Mode.

| E Colnspector      |                                | î          | . 🗞 a      | :        |
|--------------------|--------------------------------|------------|------------|----------|
| া 🛃 🚷 Directional  | 📢 Main Camera 🚽                | + (2) Obj  | cts        | +        |
| 🕀 🗸 🗹 Main Cam     |                                |            | Static     | •        |
| Tag MainCame       | era 🝷 Laye<br>Release to Enter |            |            | <b>•</b> |
|                    | Asset-Only Mod                 |            | 🔍 🔶 🛈      |          |
| 🔻 🦶 🛛 Transform    |                                | -          | 9 ∓ :      |          |
| Position           | X 0 Y 1                        | 1 2        | z -10      |          |
| Rotation           | X 0 Y 0                        | 0 2        | Z 0        | •        |
|                    | Add Component                  | 9          |            | _        |
| FX_door.wav (Aud   | io Clip)                       | ᅷ          | <b>6</b> A | ×        |
| ch 1               | FX_door                        |            |            |          |
| ch 2 PCM, 4        | 4100 Hz, Stereo, 00            | 0:01.776   |            |          |
| 🖿 🗾 Assets/Colnspe | ector/Editor/Custom/Exa        | ample Asse | ▶ ७        | t        |

#### Exiting Asset-Only Mode:

- Click the Asset Bar once or the Exit Asset-Only Mode button on the Asset Bar.
- Right-click the Asset Bar and select **Exit Asset-Only Mode**.



While in Asset-only Mode, the <u>Debug and Lock</u> buttons will **affect Asset inspection**, and the <u>Asset History Button</u> will be placed at the left of the **Asset Bar**.

# 3.3 The Add Component Bar

When an Asset is inspected, the **Add Component Bar** becomes a visual separator between the **GameObject View** and the **Asset View**, gaining some new features.



### 3.3.1 Resizing The Asset View

When the Asset View is **expanded**, the bar <u>will become **draggable**</u>. This allows you to freely resize the Asset View to take as little space as you want.

| Add Component 🕄  |   | Ĵ |   | _        |  |
|--|---|---|---|----------|--|
| F ButtonPresses.ogg (Audio Clip)   | ᅷ | 0 | а | ×        |  |
| THE PARTY PA |   |   |   |          |  |
| Assets/Sounds/SFX/ButtonPresses.ogg  |   |   | • | <b>t</b> |  |


Assets with **Previews** (like Textures or AudioClips) can be expanded to increase Preview size:

| → →           | Add Compone                        | nt             | 9    | , ĵ      | <b></b> |
|---------------|------------------------------------|----------------|------|----------|---------|
| BrickWallAlbe | edo.tif (Texture 2D)               |                |      | 72 0     | а×      |
|               |                                    |                |      |          |         |
|               |                                    |                |      |          |         |
|               |                                    |                |      |          |         |
|               |                                    |                |      |          | 1       |
|               |                                    |                |      |          |         |
| 512x512 R     | BrickWallAlls<br>GB Compressed DXU | 600<br>1 BC1 U | Norm | 170.7 KB |         |
|               | ures/BrickWallAlbe RGB             | R G            | в    |          | • 22    |

- When Collapsed, the Asset View cannot be resized. Expand it first!
- The Asset View will never take more than <sup>2</sup>/<sub>3</sub> of CoInspector's height.
- Your custom size will be reset when targets change.


### 3.3.2 The Asset History Button

While Asset View doesn't feature full <u>History Tracking</u>, it does keep track of your recent selections, allowing you to go back to them even after the Asset View has been closed.




#### You have 2 options:

• **Regular click:** It will show a list with your last 10 Asset selections, so you can go back to whichever you want.



- Multi-selections can be recovered "in bulk" or just one of their elements.
- Right-click: To switch between your last 2 Asset selections, working as the "Back" button of a TV.




- Useful for quickly switching between 2 Assets you're working on.
- If no Asset is selected, it will restore the last active one.

Some notes:

- Your Asset History is **independent** of your <u>Sessions</u>. <u>They will not be overwritten by</u> <u>loading Sessions or changing Scenes</u>.
- If the Asset View is locked, Asset(s) can still be recovered, and the panel will remain locked. <u>This is intended behavior</u>, so users can combine History Tracking with an always locked Asset View.
- If no Asset has been selected yet, the button will be disabled.

### 3.3.2 The Update Indicator

A visual indicator will appear next to the **Add Component** button when a new version of Colnspector is available.



To avoid bugs and have all the latest feature, always update to the latest version!

## 3.4 The Asset Bar


The **Asset Bar** is the blue bar on top of the Asset View. It **provides information** about your target and lets you access some **features** and **shortcuts**.



This bar will always be visible if an Asset is being inspected, Collapsed or not.

#### 3.4.1 Basic Features

- **Provide Asset Information:** The icon, name, extension and type of the inspected Asset will be shown on the left side of the bar.
  - With multi-selections, it will provide the number of selected objects.
- Expand and Collapse the Asset View: Click the bar to toggle between modes.
- **Drag and Drop**: Dragging the Asset Bar itself will drag all the inspected Asset(s) so you can use them on **Tabs**, **Components fields** or wherever you want.



- More on this in the <u>Advanced Dragging</u> section.
- Open the <u>Asset View Context Menu</u>: Right-clicking the Asset Bar to access features and settings.

### 3.4.2 Dedicated Buttons

To change the Asset View look and make small adjustments.

#### 3.4.2.1 Default Buttons

The buttons that are always present in the bar, no matter the selected Asset.

| ч, | MenuTheme.ogg (Audio Clip) | ţ | 0 | Ъ | × |
|----|----------------------------|---|---|---|---|
|    |                            | 1 | 2 | 3 | 4 |

- 1. **Show/Hide** <u>Import Settings</u>: To reveal the complete **import settings** of your Asset(s) instead of showing a **compact version**.
- 2. **Open in Inspector**: In case of compatibility issues or visual bugs, use it to send the inspected Asset(s) to the regular Inspector window.
  - a. Holding Shift/Alt while will open the Asset in a new, locked Inspector window.
- Lock/Unlock Asset View: Locks the Asset View so that the current Asset(s) remain inspected no matter where you click.
- Close the Asset View: Stops inspecting and closes the Asset View window.
   a. You can also do this by middle-clicking the Asset Bar!

#### 3.4.2.2 Context-specific Buttons:

These are the buttons that will only appear in certain circumstances.

- Exit Debug Mode: Visible only when Debug Mode is active.
  - Debug Mode can be enabled via the Asset View <u>Context Menu</u>!



• Open Prefab: To open a selected Prefab Asset in exclusive Prefab Mode.




• The Save Button: To save and write to the disk the changes made to a dirty Asset.



# 3.5 The Bottom Bar

The last part of **Asset View**.

This additional bar is also **visible whenever an Asset is selected**, and provides convenient **shortcuts** for accessing and editing your active Assets.



#### Elements:


- 1. Folder Button: Opens the selected Assets in your system's file explorer.
- 2. Edit Button: Opens the selected Assets with the default external application (*like Photoshop for textures*).
- 3. Asset Path: Displays the path of the selected asset, but also:
  - a. Click the path: To Ping the Asset in the Project window
  - b. **Right-click the path:** To instantly copy the path of the Asset to your clipboard.
- 4. **Preview Controls**: If the inspected Assets have available previews *(like AudioClips)*, the bar will display all its **relevant controls**, such as **Play**, **Stop**, **Loop**, etc.

#### Note: Options like Pinging or Copying Asset Path won't work with multiple Assets selected!

This set of tools and buttons allow you to directly access and interact with your selected Assets at any time without needing to resort to the **Project Window**.


## 3.6 Prefab Assets and Asset View

When clicking on a Prefab Asset, **it will show up in the Asset View** itself instead of **in the GameObject View**.



This is meant to be a **fast way of checking and editing Prefab Assets**, so **keep in mind the following**:

- By default, **Components will show collapsed** for a more compact view. You can change this in the **Customization and Settings** section.
- <u>Advanced Dragging</u> is not available to move and clone Components, <u>but you can use</u> <u>traditional context menu options to reorder and copy Components</u>.
- The **Expand and Collapse** additional <u>Context Menu options</u> are not available in this mode either.




If you need a more precise Prefab inspection, just use the "OPEN" button at the Asset Bar to open the Prefab Asset in a dedicated Prefab Mode Tab with all options available!

# **3.7 Customization and Inspection Settings**

The Asset View offers various customization options to optimize your workflow:


- **Ignore Single Folders** (enabled by default): When enabled, Colnspector will not consider single folders to be Assets.
  - Allows for an easier Asset navigation, as opening folders will not remove your active selection.
  - Multiple folders and/or folders mixed with other Assets **will be considered inspectable Assets**.
- **Disable Asset Inspection:** When enabled, Colnspector **will** outright **ignore Assets** and only the <u>GameObject View</u> will be active.
  - If you disable Asset Inspection, you can turn it back on from the <u>Tab Context</u> <u>Menu</u> and the <u>Settings Window</u>.
- **Collapsed Prefab View** (enabled by default): When enabled, Prefab Assets will show all their Components collapsed for a more compact view.
- Show Asset Bundle Footer (enabled by default): When enabled, Assets will show an additional footer, allowing you to set an Asset Bundle and an Asset Tag for your selected Assets.



All these Settings can be changed in the Settings Window and by opening the Asset View Context Menu.

# 3.8 The Asset View Context Menu

As with the <u>Tabs Context Menu</u>, right-clicking the <u>Asset Bar</u> will show up the Asset View's own Context Menu. Here, you can trigger basic actions and change settings of the Asset View.




The available options are:

- **Hide/Show Import Settings**: To show inspected Assets in compact mode or with their full import settings.
- Show in Asset-Only Mode: To open the inspected Assets in Asset-Only Mode.
- Collapse/Expand the Asset View: To Collapse or not the Asset View into a small bar.
- Normal/Debug Mode: To enter or exit Debug Mode in Asset View.
- Reveal in Folder: To reveal inspected Assets in the Explorer/Finder.
- Ignore Folder Inspection: To make Colnspector ignore single folders.
- Enable/Disable Asset Inspection: To disable the Asset View entirely.
  - You can re-enable it later at the <u>GameObject Context Menu</u> or the <u>Settings</u> <u>Window</u>.
- Collapsed Prefab View: To always show Prefab Assets in collapsed mode.
- Show/Hide AssetBundle Footer: To show or hide the AssetBundle and Asset Label sections.
- Close Asset View: To stop inspecting the current Asset(s) and close Asset View.

# 4. Sessions


When you open CoInspector after a restart or a crash, you'll be asked to restore your previous workspace. <u>This will also happen after switching to a scene you've previously worked on</u>.



This is the result of **Sessions**, a built-in auto-save feature that keeps track of your workspace in every scene and allows you to <u>keep it consistent between editor restarts and scene changes</u>, including your <u>Tabs</u>, **Assets**, <u>History Tracking</u>, and even your <u>closed Tabs</u>!

# 4.1 How Sessions Work

- Colnspector periodically saves your data to prevent significant loss after crashes.
- When you close CoInspector, or switch scenes, a Session linked to said scene is created.
- When relaunching CoInspector (*or switching scenes*), CoInspector will look for a valid Session, and **will try to restore all your Tabs, Assets, and settings**.
- Additionally, you can use the <u>Restore Last Saved Session</u> Context Menu option to manually load the last created Session at any point!



# 4.2 Sessions Behavior

**By default**, after loading a Session or changing scenes, Colnspector will show you the **Recovery Screen**, listing the number of **Tabs** and your **choices to proceed**:

| I | <b>▶</b> +   |
|---|--|
|   |  |
|   | Hey!   |
|   | We found 3 Tabs from your last time in this scene. |
|   | Continue where you left off?                       |
|   | Restore! Don't restore                             |
|   | Additional Options                                 |
|   | Always restore Don't ask again                     |
|   | *You can always change it in the Settings!         |
|   |  |

(*Tip*: You can see more info about the recovered Tabs by hovering the message!)

This will set your **Sessions Behavior**, or the way you prefer the system to handle the process:

- Restore!:
  - Colnspector will restore this Session and keep offering to restore Sessions.
- Don't restore:
  - Colnspector won't restore this Session, but will keep offering to restore Sessions.
- Always restore:
  - Colnspector will restore this Session and all future ones without asking.
  - This also affects changing scenes.
- Don't ask again:
  - Colnspector will never ask to restore Sessions, and you'll always start with a clean workspace.
  - Colnspector keeps track of your workspace for internal stability, so you can still restore your Last Saved Session at any point!

You can change your **Session Behavior** via the **Context Menu** and the **Settings Window**.



# 4.3 Limitation with Inactive GameObjects

Due to a limitation in the way Unity tracks inactive GameObjects, CoInspector <u>won't be able to</u> <u>restore Inactive GameObjects after the Editor has been closed.</u>

This means that, once the Editor has been closed, inactive GameObjects previously included in your Tabs, multi-target Tabs, or history will be omitted when restoring a Session.


We're actively working on finding a universal solution to this limitation.

# 5. The Settings Window

Colnspector provides a comprehensive **Settings Window**, which can be found in the **Window/Colnspector** section of your Unity menu.

# 5.1 General Settings

These are the settings that control the broad behavior of Colnspector and Sessions.



- Enable Asset Inspection: This option enables or disables the <u>Asset View</u>. If disabled, CoInspector will outright ignore any asset clicked on or selected.
- Sessions Behavior: This dropdown menu lets you choose how Colnspector handles Sessions. The options are:
  - **Always Ask** (*Default*): CoInspector will ask if you want to restore your previous Session after the Editor starts, or if you change scenes.
  - Always Restore: Colnspector will always restore your previous Session.
  - **Disable Sessions**: Colnspector will never ask to restore Sessions and will start with a clean workspace.
- Show/Hide Saved Sessions: Use this option to check and manage your existing Sessions for all your scenes. Here you can:
  - Check the date and the Scene of any existing Session
  - Show the names of all Tabs stored in each Session
  - Delete a Session

|                 | (-) Hide Saved Sessions |   |
|-----------------|-------------------------|---|
| Start (5 Tabs)  | 4/25/2024 11:48:19 AM   | × |
| Shop (21 Tabs)  | 4/25/2024 11:45:25 AM   | × |
| 🕨 Main (3 Tabs) | 4/22/2024 11:40:00 AM   | × |

# 5.2 Tab Settings

 Tab Settings

 Tab behaviors

 When a Tab is clicked:
 Select in Hierarchy

 When double-clicked:
 Select targets in Hierarchy

 Frame targets on Tab switch

 Switch to Existing Tabs [?]


Settings that affect <u>Tabs</u>, their behaviors and their appearance.

#### 5.2.1 Tab behaviors

Settings that affect automatic actions and workflow options for clicking on Tabs.

- When a Tab is clicked: The Auto-selection behavior when clicking Tabs:
  - **Select in Hierarchy**: Clicking on a Tab will select its target(s) in the Hierarchy window.
  - **Do nothing**: Clicking on a Tab will perform no additional action.

If 'Select in Hierarchy' is disabled, you'll see an extra setting: Override Scene Tools.



This allows your Scene Tools (*Move. Rotate. Scale…*) to target your active Tab instead of the active Selection.

- When a Tab is double-clicked: The Behavior on Tab Double-click. You can choose:
  - Lock or Unlock Tab: Double-clicking a Tab will lock or unlock it.
  - **Select targets in Hierarchy**: Double-clicking a Tab will select its target(s) in the Hierarchy window.
  - **Focus targets on Scene View:** Double-clicking a Tab will focus the Scene View on its target(s).
  - **Show in Local Hierarchy Pop-up**: Double-clicking a Tab will pop up the <u>Local</u> <u>Hierarchy</u> of its target.

- Frame targets on Tab switch: The <u>Auto-focus</u> feature. If enabled, Tab target(s) will be automatically framed on Scene View when clicking on them.
- **Switch to Existing Tab**: When enabled, clicking a GameObject in the Hierarchy will switch to any existing Tab with the same target instead of assigning it to the active Tab.

### 5.2.2 Tab Bar scroll

Settings that control how you scroll Tabs with your mouse wheels.

| Tab Bar scroll                                     |        |   |
|--|--------|---|
| Vertical wheel speed                               | Normal | • |
| Horizontal wheel speed                             | Normal | • |
| Invert vertical scroll<br>Invert horizontal scroll |        |   |

- Vertical wheel speed: Adjusts scroll speed when using the main mouse wheel. Choose between:
  - Normal
  - Fast
  - Fastest
- **Horizontal wheel speed**: Adjusts the scrolling speed when using the secondary mouse wheel *(if available)*. Choose between:
  - $\circ$  Normal
  - Fast
  - Fastest
- **Invert vertical scroll**: Inverts the scroll direction of your Tabs when using the main mouse wheel.
- **Invert horizontal scroll**: Inverts the scroll direction of your Tabs when using the secondary mouse wheel (*if available*).

### 5.2.3 Tab design

Customizes the <u>Appearance</u> of your **Tab Bar**.

| Tab design               |           |   |
|--------------------------|-----------|---|
| Show Tab History buttons | <b>Z</b>  |   |
| Show Tab icons           | <b>Z</b>  |   |
| Info on Tab hover:       | Tree view | - |
| Tab size:                | Compact   | - |
|                          |           |   |

- Show Tab History buttons: Shows or hides the History navigation buttons.
- Show Tab icons: Enables or disables showing icons on Tabs (excluding when locked).
- Info on Tab hover: Sets the <u>Behavior On Tab Hover</u>. You can choose between:
  - **Name**: Will show the full name of the target GameObject.
  - **Tree view**: Will show up to 3 parents of the target GameObject.
  - **Nothing**: Will show nothing.

- **Tab size**. How big the Tabs are displayed. Choose between:
  - Compact
  - Normal

### 5.2.4 Header design

This section allows you to show or hide tools and features placed in the Component Header.

| Show:               |   |                                      |   |
|---------------------|---|--------------------------------------|---|
| Tabs scrollbar      | ~ |                                      |   |
| '≡ Hierarchy button | ~ | <ul> <li>Inspector button</li> </ul> | ~ |
| Focus button        | ~ | 🔍 Select button                      | ~ |
| — Collapse button   | ~ | ۹ Component Filter                   | ~ |

The following elements can be shown or hidden:

- Tabs scrollbar
- Hierarchy button
- Inspector button
- Focus button
- Select button
- Collapse button
- Component Filter

# **5.3 Asset Settings**

Settings that affect the Asset View. Only available when Asset Inspection is enabled.

| Asset Settings<br>Ignore Folder Inspection       | ~                   |                  |
|--|---------------------|------------------|
| Individual folders will n                        | ot count as Assets. |                  |
| Collapsed Prefab View<br>Show AssetBundle Footer | 7                   |                  |
| Tutorial   | Documentation       | Reset to Default |

- **Ignore Folder Inspection**: If enabled, individual folders will not be considered Assets and will be ignored by the Asset View, making Asset browsing a bit less frustrating.
- **Collapsed Prefab View**: When enabled, prefabs in the Asset View will have all their Components collapsed by default for a more compact view. This also affects prefab-derived objects, like imported objects.
- Show AssetBundle Footer: Shows or hides the AssetBundle and Asset Label footers in the Asset View.

# 5.4 Reset to Default

Clicking this button will reset all the settings in this window to its default values, but **keeping all your existing Sessions intact**.

These settings should allow you to tailor CoInspector to your needs and preferences. Feel free to explore and adjust them until you find a workflow you're comfortable with.

We like to offer as many options as possible, so if you miss any setting or would like to have more control over some specific feature, please let us know at <u>hey@stuff-solution.com</u>.

# 6. Plans and Future Features

## 6.1 Some stuff we want to add soonish:

- Drag GameObjects to create new Tabs
- Advanced Dragging and Cloning for Multi-selections and Prefabs
- More control over the Local Hierarchy View (rename, delete, multi-select...)
- Inactive GameObject compatibility in saved sessions
- More Assets compatible with Dragging as Components
- A fix for that annoying bug you found

## 6.2 Some stuff who knows when we'll be able to add:

- Tab system for the Asset View.
- Multiple Window support
- Drag Tabs to create new Windows